

PISTONSUPPLY ECO

Oil-free Piston Compressor

The Knorr-Bremse oil-free piston compressor has created a paradigm shift in the rail industry. With no oil in the system, the compressed air output is clean and free of oil. The Knorr-Bremse oil-free piston compressor **PistonSupply Eco**, VV-T 2.0, offers an outstanding combination of high performance, low vibration and noise levels, combined with worldwide field experience. Continuous technical improvement has now led to the next generation oil-free piston compressors.



Customer benefits

- Service-proven product with more than 40,000 units sold
- Oil-free air is environmentally friendly and causes no downstream contamination
- No oil exchange, no disposal of used oil, no contaminated condensate to collect
- Specially optimized design to minimize noise and vibrations
- Cold starts without preheating, down to -50 °C



Applications

- High-speed trains
- Light rail vehicles
- Locomotives
- Metros
- Monorails
- Regional & commuter trains
- Special vehicles





PistonSupply Eco Key Features

- Environmentally friendly design
- Designed for railroad applications
- Continuously improved product based on long-term worldwide experience

- Less complex system with fewer interfaces than conventional compressor systems
- Robust design for underfloor mounting conditions as well as for standing installation, roof-mounted or interior

Cooling Air Guiding System

- Improved cooling performance
- Temperature reduction of up to 20 °C



Improved Tribological System

- Reduced friction within pistoncylinder system
- Significant reduction of wear



Compressor **Condensate Removal System**

- Reduction of liquid condensate after the intermediate cooler
- Applicable for all climatic conditions



Single-sided Air Intake System

- Filter exchange time reduction
- Improved air intake rain covers for reduced intake velocity





Technical Data PistonSupply Eco

| Туре | Air Delivery 50/60 Hz | Туре | Air Delivery 50/60 Hz |
|---------|-----------------------|----------|-----------------------|
| VV40-T | 255/315 l/min | VV180-T | 1450/1750 l/min |
| VV80-T | 435/520 l/min | VV270-T | 2000/2400 l/min |
| VV90-T | 530/625 l/min | VV450-T | 3100 l/min |
| VV120-T | 815/980 l/min | VV1000-T | 2750/5250 l/min |

Knorr-Bremse Systeme für Schienenfahrzeuge GmbH

Moosacher Straße 80 80809 Munich Germany

Phone: +49 89 3547-0 Fax: +49 89 3547-2767 rail.knorr-bremse.com







((€)) ((€)

((K)) MERAK

(((C)) MICROELETTRICA

((K)) SELECTRON

((())) EVAC

«(K)» ZELISKO

(((k))) RAILSERVICES